

BRAVE SERIES



- ❖ **STYLISH AERODYNAMIC DESIGN**
- ❖ **PRO-LATCH TAILGATE "QUICK RELEASE SYSTEM"**
- ❖ **SLANTED "DOUBLE-PANEL" TAILGATE**
- ❖ **QUALITY MANUFACTURING FOR LONG LASTING VALUE**



"Built to work! Built to last!"



Pro-Latch Tailgate "Quick" Release System



STANDARD SPECIFICATIONS 2-3 YARD

| | | | | |
|-----------------------------|-------|---------|-----|---------|
| Body Length | 8' 6" | 9' | 10' | 11' |
| Body Width | 7' | 7' | 7' | 7' |
| Body Capacity (Cubic Yards) | 2-3 | 2.5/3.5 | 2-3 | 2.5/3.5 |
| Side Height | 12" | 12" | 10" | 10" |
| Gate Height | 18" | 18" | 15" | 15" |

STANDARD SPECIFICATIONS 3-4 YARD

| | | | | |
|-----------------------------|-------|-----|-----|---------|
| Body Length | 8' 6" | 9' | 10' | 11' |
| Body Width | 7' | 89" | 89" | 89" |
| Body Capacity (Cubic Yards) | 3-4 | 3-4 | 3-4 | 3.5/4.5 |
| Side Height | 15" | 15" | 15" | 15" |
| Gate Height | 21" | 21" | 21" | 21" |

OPTIONS:

- ❖ Cab Protectors: 24", 32", 42" Long
- ❖ Screen Window (Integrated)
- ❖ Three (3) Panel Tailgate
- ❖ Coal Chute Doors
- ❖ Recessed Stop, Tail, Turn Lights
- ❖ Fold Down Style Sides with Stainless Steel Pins (Removable)
- ❖ 7 Gauge Steel Floor
- ❖ L.E.D. Clearance Lights
- ❖ Build It Your Way

STANDARD FEATURES:

- ❖ 10 Gauge Steel Front, Sides, Floor
- ❖ 12 Gauge "Double Panel" Tailgate
- ❖ 3" Structural Channel Cross members (4.2 Lbs. Per Foot) on Approx. 13" Centers
- ❖ 4" Structural Channel Longsills (54 Lbs. Per Foot)
- ❖ Pro-Latch Tailgate "Quick" Release System
- ❖ Slanted "Double-Panel" Tailgate
- ❖ Rounded Front (6" Face) and Rear (7" Face) Corner Post
- ❖ Two(2) Intermediate Rounded Side Post (6")
- ❖ Tubular Boxed Top Rail
- ❖ Dirt Shedding Rails
- ❖ Outboard-Mounted Spreader Chain
- ❖ 1/4 Cab Protector (14")
- ❖ Plasma Cut Hardware
- ❖ Lo-Mount Design
- ❖ Shock/Recessed Clearance Light FMVSS



IROQUOIS MANUFACTURING CO.

596 Richmond Road, Hinesburg, VT 05461
Phone: (802) 482-2155 ❖ Fax: (802) 482-2962

Sold and Serviced Locally By:

BRAVE SERIES




- ❖ STYLISH AERODYNAMIC DESIGN
- ❖ 304 STAINLESS STEEL CONSTRUCTION THROUGHOUT
- ❖ ADDED CORROSION PROTECTION
- ❖ POLISHED STAINLESS STEEL FINISH
- ❖ STAINLESS STEEL PRO-LATCH TAILGATE "QUICK" RELEASE SYSTEM
- ❖ SLANTED "DOUBLE-PANEL" TAILGATE
- ❖ QUALITY MANUFACTURING FOR LONG LASTING VALUE



STAINLESS STEEL



"Built to work! Built to last!"



Opened



Closed



Pro-Latch Tailgate "Quick" Release System



Optional Fold Down Style Sides (Removable)



STANDARD SPECIFICATIONS 2-3 YARD

| | | | | |
|-----------------------------|-------|---------|-----|---------|
| Body Length | 8' 6" | 9' | 10' | 11' |
| Body Width | 7' | 7' | 7' | 7' |
| Body Capacity (Cubic Yards) | 2-3 | 2.5/3.5 | 2-3 | 2.5/3.5 |
| Side Height | 12" | 12" | 10" | 10" |
| Gate Height | 18" | 18" | 15" | 15" |

STANDARD SPECIFICATIONS 3-4 YARD

| | | | | |
|-----------------------------|-------|-----|-----|---------|
| Body Length | 8' 6" | 9' | 10' | 11' |
| Body Width | 7' | 89" | 89" | 89" |
| Body Capacity (Cubic Yards) | 3-4 | 3-4 | 3-4 | 3.5/4.5 |
| Side Height | 15" | 15" | 15" | 15" |
| Gate Height | 21" | 21" | 21" | 21" |

STANDARD FEATURES:

- ❖ 10 Gauge Steel Front, Sides, Floor
- ❖ 11 Gauge T-304 Stainless Steel Front & Sides "Polished"
- ❖ 12 Gauge T-304 Stainless Steel "Double Panel" Tailgate "Polished"
- ❖ 7 Gauge T-304 Formed Stainless Steel Cross members on Approx. 12" Centers
- ❖ 4" Structural Channel Longsills (5.4 Lbs. Per Foot)
- ❖ Pro-Latch Stainless Steel Tailgate "Quick" Release System
- ❖ Slanted "Double-Panel" Tailgate
- ❖ Rounded Front (6" Face) and Rear (7" Face) Corner Post
- ❖ Two(2) Intermediate Rounded Side Post (6" Face)
- ❖ Tubular Type Stainless Steel Boxed Top Rail
- ❖ Dirt Shedding Rails
- ❖ Outboard-Mounted Spreader Chains
- ❖ 1/4 Cab Protector (14")
- ❖ Plasma Cut Hardware
- ❖ Lo-Mount Design
- ❖ Shock/Recessed Clearance Lights (FMUSS I08)

OPTIONS:

- ❖ Cab Protectors: 24", 32", 42" Long
- ❖ Screen Window (Integrated)
- ❖ Three (3) Panel Tailgate
- ❖ Coal Chute Doors
- ❖ Recessed Stop, Tail, Turn Lights
- ❖ Fold Down Style Sides with Stainless Steel Pins (Removable)
- ❖ 7 Gauge Steel Floor
- ❖ L.E.D. Clearance Lights
- ❖ Build It Your Way



IROQUOIS MANUFACTURING CO.

596 Richmond Road, Hinesburg, VT 05461
Phone: (802) 482-2155 ❖ Fax: (802) 482-2962

Sold and Serviced Locally By:

BRAVE SERIES




- ❖ **STYLISH AERODYNAMIC DESIGN**
- ❖ **PRO-LATCH TAILGATE “QUICK RELEASE SYSTEM”**
- ❖ **SLANTED “DOUBLE PANEL” TAILGATE**
- ❖ **QUALITY MANUFACTURING FOR LONG LASTING VALUE**

LO-PROFILE



“Built to work! Built to last!”



Opened



Closed



Pro-Latch Tailgate "Quick" Release System



Optional Fold Down Style Sides (Removable)



STANDARD SPECIFICATIONS

| | | | | |
|----------------------------------|-----|-----|-----|-----|
| Body Length | 9' | 10' | 12' | 14' |
| Body Width (Outside Dimension) | 8' | 8' | 8' | 8' |
| Body Capacity (Cubic Yards) | 2-3 | 3-4 | 3-5 | 4-5 |
| Side Heights: 10", 12", 13", 15" | | | | |
| Gate Heights: 15", 18", 21", 26" | | | | |

STANDARD FEATURES:

- ❖ 10 Gauge Steel Front, Sides, Floor
- ❖ 12 Gauge "Double Panel" Tailgate
- ❖ 3" Structural Channel Cross members (4.2 Lbs. Per Foot) on Approx. 13" Centers
- ❖ Structural Channel Longsills
- ❖ Pro-Latch Tailgate "Quick" Release System
- ❖ Slanted "Double-Panel" Tailgate
- ❖ Rounded (6" Face) and Rear (7" Face) Corner Post
- ❖ Two (2) Intermediate Rounded Side Post (6")
- ❖ Tubular Boxed Top Rail
- ❖ Dirt Shedding Rails
- ❖ Outboard-Mounted Spreader Chain
- ❖ 1/4 Cab Protector (14")
- ❖ Plasma Cut Hardware
- ❖ Lo-Mount Design
- ❖ Shock/Recessed Clearance Light FMVSS

OPTIONS:

- ❖ Cab Protectors: 24", 32", 42" Long
- ❖ Screen Window (Integrated)
- ❖ Three (3) Panel Tailgate
- ❖ Coal Chute Doors
- ❖ Recessed Stop, Tail, Turn Lights
- ❖ Fold Down Style Sides with Stainless Steel Pins (Removable)
- ❖ 7 Gauge Stainless Steel Floor
- ❖ L.E.D. Clearance Lights
- ❖ Build It Your Way



IROQUOIS MANUFACTURING CO.

596 Richmond Road, Hinesburg, VT 05461
Phone: (802) 482-2155 ❖ Fax: (802) 482-2962

Sold and Serviced Locally By:

UNIBODY SERIES



- ❖ **HIGH TENSILE STRENGTH STEEL CONSTRUCTION**
- ❖ **INNOVATIVE BODY DESIGN**
- ❖ **EXTRAORDINARY STANDARD FEATURES**
- ❖ **STRONGER-LIGHTER**
- ❖ **AVAILABLE IN 9' TO 20' LENGTHS**



“Built to work! Built to last!”



IMC HD SERIES

- ❖ Standard body at a competitive price
- ❖ Vertical and horizontal box bracing
- ❖ Lengths: 9' to 20'
- ❖ Side Heights: 30", 36", 42", 48", 54"
- ❖ Gate Heights: 42", 48", 54", 60"
- ❖ Interior Width: 89" (Exterior Width: 96")
- ❖ Sides & Front: 3/16" Steel
- ❖ Tailgate: 1/4" Steel
- ❖ Floor: 1/4" (100,000 PSI/250 Brinell) Steel
- ❖ Longsills: 8", 1/4" Steel

IMC FHA SERIES

- ❖ Major weight advantage
- ❖ Heavy duty-light weight
- ❖ High tensile steel construction
- ❖ Vertical box bracing
- ❖ Lengths: 9' to 20'
- ❖ Side Heights: 30", 36", 42", 48", 54"
- ❖ Gate Heights: 42", 48", 54", 60"
- ❖ Interior Width: 89" (Exterior Width: 96")
- ❖ Sides & Front: 1/8" (190,000 PSI/450 Brinell) Steel
- ❖ Tailgate: 3/16" (190,000 PSI/450 Brinell) Steel
- ❖ Floor: 1/4" (190,000 PSI/450 Brinell) Steel
- ❖ Longsills: 8", 1/4" Steel



IMC FHD SERIES

- ❖ Extremely heavy duty
- ❖ High tensile steel construction
- ❖ Vertical box bracing
- ❖ Lengths: 10' to 20'
- ❖ Side Heights: 30", 36", 42", 48", 54"
- ❖ Gate Heights: 42", 48", 54", 60"
- ❖ Interior Width: 89" (Exterior Width: 96")
- ❖ Sides & Front: 3/16" (190,000 PSI/450 Brinell) Steel
- ❖ Floor & Tailgate: 1/4" (190,000 PSI/450 Brinell) Steel
- ❖ Longsills: 8", 1/4" Steel

STANDARD FEATURES: ★ One (1) piece floor ★ Unibody Construction ★ Two (2) Horizontal Braces In Tailgate ★ Cab Protector: 24", 30" or 36" Your Choice ★ Straight or Slanted Tailgate ★ Air Tailgate Cylinder ★ Front & Rear Post (12" Face) ★ Intermediate Side Post (8" Face) ★ 3" x 4" Tubular Boxed Top Rail ★ Heat Ready ★ Aluminum Access Ladder ★ Trunnion Front-Mounted Hoist (Nitrated Cylinder/2 Year Warranty) ★ Easy To Service Greasable Hardware

AVAILABLE OPTIONS: ★ 42" Cab Protector ★ Coal Chute Doors ★ Three (3) Way Tailgate (Barn Door System/Straight Tailgate Only) ★ Heat Kits ★ Asphalt Rear Extensions ★ Tapered Sides ★ Tarping Systems ★ Specials



IROQUOIS MANUFACTURING CO.

596 Richmond Road, Hinesburg, VT 05461

Phone: (802) 482-2155 ❖ Fax: (802) 482-2962

Sold and Serviced Locally By: