



SPREADER PRODUCT GUIDE: 2024-25
BEST SERVED COLD

SPREADERS

WORK AHEAD OF EVERY STORM. STAY ON TOP OF EVERY JOB.
GET MORE DONE EVERY DAY.

IS YOUR FLEET STORM READY?

There is no feeling like an incoming storm. The air dampens. The clouds close. The sky darkens. And the focus becomes clear. Because for you—snow and ice pros—this isn't just some storm. It's go time.

Since 1948, Fisher Engineering has built products that capitalize on that feeling. And this winter, we're proud to present our full line of ice control equipment for operators of every kind. Now let's get your fleet ready for the storm—starting with products that take on the ice.



HOPPERS

Commercial operators servicing multiple large, complex properties with de-icing services utilizing bulk materials.



TAILGATES

Commercial operators and private users servicing smaller properties or areas of focus with bagged de-icing materials.



FISHER TEMPEST P220C

DANGER
STAND CLEAR
WHILE OPERATING

HOPPER SPREADERS



SIGNATURE FEATURES

▣ POLY CONSTRUCTION

High-density polyethylene construction fights rust and corrosion, ideal for spreading salt and other de-icing materials in harsh environments. The hopper tub geometry ensures de-icing material is evenly delivered to the chain or auger, allowing even material unloading and smooth flow with each load.



▣ STAND ON END STORAGE

A special design allows the hopper to stand on end for easier storage in the off-season. This also allows for easier installation into the truck bed.



▣ INTERLOCKING POLY LIDS

Standard hopper lids have molded channels for moisture runoff. Pockets at the end of the lid allow a 2x4 to or shovel handle to be inserted for leverage and easy opening.



▣ CHOICE OF MATERIAL DELIVERY

Operations can choose the delivery system best suited for their de-icing program. The all-new patented HELIXX™ auger delivery system (*shown*) is optimized to operate in the target range for the even spread of rock salt. The heavy-duty pintle chain delivery system is optimized for thick, heavy materials like sand and salt/sand mix.



TEMPEST™ POLY HOPPERS

**CORROSION-RESISTANT CONSTRUCTION
KEEPS YOU EFFICIENT**

BEST SUITED FOR:

Commercial operators working multiple job sites, especially in wet and coastal regions where rust is prevalent and de-icing materials need to be kept covered.

VEHICLE COMPATIBILITY:

3/4 and 1-Ton Pick Up Trucks, Dump Body Trucks, and Flatbed Trucks.

WHAT THIS MEANS FOR YOU:

The all-new TEMPEST Poly Hoppers bring an updated poly hopper tub and enhanced molded lid design to the hopper legacy, meeting the demands of today's operator. These models are made of corrosion-resistant polyethylene with a precise geometry that promotes even material flow and two material delivery options.

MODEL EXPLANATION: **P220A**
 Hopper Material | Hopper Capacity | Material Delivery System

(See page 20 for full product specs)



TEMPEST™ P150C | P150A

POLY HOPPER SPREADERS

These all-new poly hoppers offer 1.5 cu yd of capacity for pickup trucks. Smooth, even spreading allows de-icing services to be delivered quickly and efficiently. Durable, corrosion-resistant, and versatile - they're ideal for commercial applications.

MATERIAL COMPATIBILITY:
HELIXX™ AUGER - BULK ROCK SALT, PINTLE CHAIN - SAND & SALT/SAND MIX

HOPPER CAPACITY: 1.5 cu yd (1.15 cu m)

VEHICLE COMPATIBILITY: 3/4- & 1-Ton Pickup Trucks

MINIMUM BED LENGTH: 90" (228.6 cm)



TEMPEST™ P220C | P220A

POLY HOPPER SPREADERS

Stepping up in size, these models offer 2.2 cu yd of capacity for use with pickup trucks. Their corrosion-resistant construction makes them perfect for commercial applications. De-icing material is delivered in a smooth and consistent arc to ensure an even spread for maximum productivity and efficiency.

MATERIAL COMPATIBILITY:
HELIXX™ AUGER - BULK ROCK SALT, PINTLE CHAIN - SAND & SALT/SAND MIX

HOPPER CAPACITY: 2.2 cu yd (1.68 cu m)

VEHICLE COMPATIBILITY: 3/4- & 1-Ton Pickup Trucks

MINIMUM BED LENGTH: 90" (228.6 cm)



SIGNATURE FEATURES

STAINLESS STEEL CONSTRUCTION

Crafted with heavy-duty stainless steel for unmatched durability and corrosion resistance in the storm.



DUAL ELECTRIC MOTORS

Take control of every job with independent motors for precise control over auger and spinner functions.




VARIABLE SPEED CONTROL

Enhanced dual variable-speed control allows you to precisely match material delivery and spread patterns to conditions. Four standard accessory buttons and a dedicated blast button provide optimum in-cab efficiency.



CHOICE OF MATERIAL DELIVERY

Operations can choose the delivery system best suited for their de-icing program. The all-new patented HELIXX™ auger delivery system (shown) is optimized to operate in the target range for the even spread of rock salt. The heavy-duty pintle chain delivery system is optimized for thick, heavy materials like sand and salt/sand mix.



TEMPEST™ STAINLESS STEEL HOPPERS

HEAVY-DUTY EQUIPMENT TO GET YOU AHEAD

BEST SUITED FOR:

Commercial operators working multiple job sites where durability and high-capacity performance are non-negotiable.

VEHICLE COMPATIBILITY:

Pickup Trucks, Dump Body Trucks, Flatbed Trucks.

WHAT THIS MEANS FOR YOU:

The TEMPEST Stainless Steel Hopper is tougher than nails. Its stainless steel construction resists impact and corrosion, allowing smooth material flow with minimal wear, making it ideal for heavy-duty commercial applications. The geometry promotes even material flow with a choice of material delivery systems.

MODEL EXPLANATION:

S220A
 Hopper Material | Hopper Capacity | Material Delivery System

(See page 20 for full product specs)



TEMPEST™ COMPACT S035C/S035A & S070C/S070A

STAINLESS STEEL HOPPERS

These compact models fit in half-ton trucks with room to haul extra de-icing material or sidewalk management equipment. They are ideal for operators with smaller, more compact areas that they service. (S070C model shown.)

MATERIAL COMPATIBILITY: HELIXX™ AUGER - BULK ROCK SALT, PINTLE CHAIN - SAND & SALT/SAND MIX	
HOPPER CAPACITY:	0.35 cu yd (0.27 cu m) 0.70 cu yd (0.54 cu m)
HOPPER CAPACITY W/ EXTENSION COLLAR:	0.6 cu yd (0.46 cu m) 1.2 cu yd (0.92 cu m)
VEHICLE COMPATIBILITY:	Compact Trucks ½-Ton Pickup Trucks
MINIMUM BED LENGTH:	30" (76.20 cm) 44" (111.76 cm)



TEMPEST S150C / S150A

STAINLESS STEEL HOPPERS

Stepping up, the S150 fits into standard pickup trucks with 76" or more of bed space. With 1.5 cu yd of capacity, this model consistently delivers for commercial operators.

MATERIAL COMPATIBILITY: HELIXX™ AUGER - BULK ROCK SALT, PINTLE CHAIN - SAND & SALT/SAND MIX	
HOPPER CAPACITY:	1.5 cu yd (1.15 cu m)
HOPPER CAPACITY W/ EXTENSION COLLAR:	2.0 cu yd (1.53 cu m)
VEHICLE COMPATIBILITY:	¾- & 1-Ton Pickup Trucks
MINIMUM BED LENGTH:	76" (193.04 cm)



TEMPEST S220C/S220A

STAINLESS STEEL HOPPERS

High spreading performance from a unit that fits ¾- and 1-ton pickup trucks. This model meets the needs of commercial operators with multiple large properties to cover, using a standard pickup.

MATERIAL COMPATIBILITY: HELIXX AUGER - BULK ROCK SALT, PINTLE CHAIN - SAND & SALT/SAND MIX	
HOPPER CAPACITY:	3.0 cu yd (2.29 cu m)
HOPPER CAPACITY W/ EXTENSION COLLAR:	4.0 cu yd (3.06 cu m)
VEHICLE COMPATIBILITY:	¾- & 1-Ton Pick up Trucks
MINIMUM BED LENGTH:	90" (228.6 cm)



TEMPEST S300C/S300A

STAINLESS STEEL HOPPERS

For fleets with dump body and flatbed trucks, this model comes highly recommended. With 3.0 cubic yards of capacity, operators seamlessly shift from one large property to the next.

MATERIAL COMPATIBILITY: HELIXX AUGER - BULK ROCK SALT, PINTLE CHAIN - SAND & SALT/SAND MIX	
HOPPER CAPACITY:	3.0 cu yd (2.29 cu m)
HOPPER CAPACITY W/ EXTENSION COLLAR:	4.0 cu yd (3.06 cu m)
VEHICLE COMPATIBILITY:	Dump Body or Flatbed Trucks
MINIMUM BED LENGTH:	90" (228.6 cm)



TEMPEST S400C/S400A

STAINLESS STEEL HOPPERS

For dump body and flatbed trucks seeking more, this model offers 4.0 cubic yards of capacity to cover more acreage in between fill ups.

MATERIAL COMPATIBILITY: HELIXX AUGER - BULK ROCK SALT, PINTLE CHAIN - SAND & SALT/SAND MIX	
HOPPER CAPACITY:	4.0 cu yd (3.06 cu m)
HOPPER CAPACITY W/ EXTENSION COLLAR:	5.0 cu yd (3.82 cu m)
VEHICLE COMPATIBILITY:	Dump Body or Flatbed Trucks
MINIMUM BED LENGTH:	96" (243.84 cm)



TEMPEST S500C / S500A

STAINLESS STEEL HOPPERS

The biggest and boldest: S500C/S500A Spreaders bring 5.0 cubic yards of capacity, maximizing the de-icing impact of your dump body and flatbed fleet, increasing the acreage each operator can treat in between fill ups.

MATERIAL COMPATIBILITY: HELIXX AUGER - BULK ROCK SALT, PINTLE CHAIN - SAND & SALT/SAND MIX	
HOPPER CAPACITY:	5.0 cu yd (3.82 cu m)
HOPPER CAPACITY W/ EXTENSION COLLAR:	6.0 cu yd (4.59 cu m)
VEHICLE COMPATIBILITY:	Dump Body or Flatbed Trucks
MINIMUM BED LENGTH:	96" (243.84 cm)

TRILOGY DEFENSE

PRE-WET AND DIRECT LIQUID APPLICATION SYSTEM

BEST SUITED FOR:

Professionals needing advanced de-icing capabilities, including areas where snowfall is low but slick surfaces are relentless.

SPREADER COMPATIBILITY:

Compatible with all TEMPEST™ Spreaders.

COMPATIBLE MATERIAL TYPES:

Liquid de-icing solutions such as brine, calcium chloride solutions, and other premium solutions.

WHAT THIS MEANS FOR YOU:

The Trilogy Defense System adds onto your FISHER Spreader, widening your options for snow and ice removal.

- Option 1: Standard material application, without liquid.
- Option 2: Direct liquid application.
- Option 3: Material and liquid combination, also known as Pre-Wet.

Whether you're preparing for a storm or cleaning up the aftermath, the best modern tools are at the ready, all built to work together.



SIGNATURE FEATURES

PRE-WET AND ANTI-ICING CAPABILITIES



The Trilogy Defense system features a spray tube that applies liquid directly to the granular material as it enters the pre-wet mixing chamber or nozzles that can spray liquid brine directly on the surface for treatment.

(Direct liquid application shown.)

7 GALLON/MINUTE SPREAD RATE



12-volt motor and pump combination provide a consistent spray rate for low maintenance and reliable performance.

MANUAL CONTROL VALVE



A manual lever on the pump box allows the operator to easily switch between pre-wet or direct liquid application mode when the accessory system is active.

INTEGRATED CONTROL



Reduce cab clutter and enhance operator efficiency with the on/off accessory control seamlessly integrated into the TEMPEST spreader control.



SPREADER ACCESSORIES

ESSENTIAL TOOLS THAT GROW WITH YOU

Explore a variety of accessories designed to enhance the functionality of your FISHER spreaders. From control systems to material storage solutions, these products ensure you have everything needed to tailor your hopper's performance to your operation's unique needs.

FOR CHAIN DRIVEN UNITS

SAFETY ACCESSORIES	S035C	S070C	S150C	P150C	S220C	P220C	S300C	S400C	S500C
STROBE LIGHT KIT:	■	■	■	■	■	■	■	■	■
WORK LIGHT KIT:	■	■	■	■	■	■	■	■	■
SECONDARY WORK LIGHT KIT:	■	■	■	■	■	■	■	■	■
LICENSE PLATE KIT:	■	■	STD	STD	STD	STD	STD	STD	STD
MATERIAL FLOW & PERFORMANCE	S035C	S070C	S150C	P150C	S220C	P220C	S300C	S400C	S500C
INVERTED V:	■	■	■	■	■	■	STD	STD	STD
CHUTE EXTENSION KIT:			■	■	■	STD	STD	STD	STD
VIBRATOR KIT:	■	■	■	■	■	■	■	■	■
FEEDGATE KIT:			■	■	■	■	■	■	■
CAPACITY EXPANSION	S035C	S070C	S150C	P150C	S220C	P220C	S300C	S400C	S500C
EXPANSION COLLAR:	■	■	■		■		■	■	■
SPILL GUARDS:	■	■	■		■		■	■	■
REARVIEW MATERIAL MONITORING CAMERA:	■	■	■	■	■	■	■	■	■
TARP KIT:	■	■	■		■				
ROLL TARP COVER:							■	■	■
CENTRAL POINT GREASE KIT:			■	■	■	■	■	■	■
OPERATOR CUSTOMIZATION	S035C	S070C	S150C	P150C	S220C	P220C	S300C	S400C	S500C
SPREADER CONTROL ADAPTER PLATE:	■	■	■	■	■	■	■	■	■
CENTRAL CUP HOLDER MOUNT:	■	■	■	■	■	■	■	■	■

ACCESSORY CATEGORIES

SAFETY ACCESSORIES:

Enhance the visibility of your ice control equipment when it's on the job with assorted lighting options and when traveling between jobs with road safety accessories.

MATERIAL FLOW & PERFORMANCE:

Keep your de-icing material dry and maximize its even flow and spread for maximum performance. Adapt to the unique demands of your materials and applications.

CAPACITY EXPANSION:

Expand the capacity of your hopper to grow with your business.

OPERATOR CUSTOMIZATION

Allow your operators to customize the spreader control experience in the cab.

FOR AUGER DRIVEN UNITS

SAFETY ACCESSORIES	S035A	S070A	S150A	P150A	S220A	P220A	S300A	S400A	S500A
STROBE LIGHT KIT:	■	■	■	■	■	■	■	■	■
WORK LIGHT KIT:	■	■	■	■	■	■	■	■	■
SECONDARY WORK LIGHT KIT:	■	■	■	■	■	■	■	■	■
LICENSE PLATE KIT:	■	■	STD	STD	STD	STD	STD	STD	STD
MATERIAL FLOW & PERFORMANCE	S035A	S070A	S150A	P150A	S220A	P220A	S300A	S400A	S500A
INVERTED V:	■	■	STD	STD	STD	STD	STD	STD	STD
CHUTE EXTENSION KIT:			■	■	STD	STD	STD	STD	STD
VIBRATOR KIT:	■	■	■	■	■	■	■	■	■
CAPACITY EXPANSION	S035A	S070A	S150A	P150A	S220A	P220A	S300A	S400A	S500A
EXPANSION COLLAR:	■	■	■		■		■	■	■
SPILL GUARDS:	■	■	■		■		■	■	■
REARVIEW MATERIAL MONITORING CAMERA:	■	■	■	■	■	■	■	■	■
TARP KIT:	■	■	■		■				
ROLL TARP COVER:							■	■	■
CENTRAL POINT GREASE KIT:			■	■	■	■	■	■	■
OPERATOR CUSTOMIZATION	S035A	S070A	S150A	P150A	S220A	P220A	S300A	S400A	S500A
SPREADER CONTROL ADAPTER PLATE:	■	■	■	■	■	■	■	■	■
CENTRAL CUP HOLDER MOUNT:	■	■	■	■	■	■	■	■	■



PINPOINT YOUR HOPPER

TEMPEST™ POLY HOPPER

THE NEW HOPPER ON THE BLOCK, TURNING HEADS & GETTING WORK DONE.

All-new this season, the TEMPEST Hopper legacy continues with polyethylene construction, specifically built to fight off rust and corrosion found in de-icing. For wet and coastal conditions especially, this material remains unphased through the elements.

The poly hopper models feature standard, interlocking lids that protect de-icing materials from moisture and the elements. An enhanced design incorporates special channels that discard excess snow, water, and ice for easy opening and closing.

TEMPEST STEEL HOPPERS

THE ULTIMATE WORKHORSE, TRIED & TRUE BY FISHER NATION.

The TEMPEST Hoppers that started it all. They're as tough as they come, and unbeatable in durability and strength. Stainless steel construction stands up strong against bumps, bruises, and scrapes on the job, while maintaining structural integrity no matter what winter throws at you.

The riveted construction of the hopper allows for easier serviceability when the hopper makes contact with an unseen obstacle while in reverse.

TEMPEST™ S035C/S035A COMPACT STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	12" Diameter
VEHICLE COMPATIBILITY:	Compact Trucks	APPROXIMATE WEIGHT (EMPTY):	235 lb 192 lb
MATERIAL COMPATIBILITY:	Bulk Rock Salt Sand & Salt/Sand Mix	OVERALL DIMENSIONS (LxWxH):	57" x 38" x 46" 52.75" x 38" x 45.5"
CAPACITY (VOLUME):	.35 cu yd	HOPPER DIMENSIONS (LxWxH):	30" x 38" x 26" 30" x 38" x 25.75"
CAPACITY (WEIGHT):	750 lb	BODY SIDE LENGTH:	30"
CAPACITY (EXTENSION COLLAR):	0.60 cu yd	MINIMUM BED LENGTH:	30"
SPREAD WIDTH:	Up to 36'	MATERIAL DELIVERY DIMENSIONS:	15.5" Chain 4" Diameter Auger

TEMPEST S070C/S070A COMPACT STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	12" Diameter
VEHICLE COMPATIBILITY:	1/2-ton & Light Duty Pickup Trucks	APPROXIMATE WEIGHT (EMPTY):	420 lb 337 lb
MATERIAL COMPATIBILITY:	Bulk Rock Salt Sand & Salt/Sand Mix	OVERALL DIMENSIONS (LxWxH):	81" x 43" x 46"
CAPACITY (VOLUME):	0.7 cu yd	HOPPER DIMENSIONS (LxWxH):	81" x 42.75" x 45"
CAPACITY (WEIGHT):	1,500 lb	BODY SIDE LENGTH:	54"
CAPACITY (EXTENSION COLLAR):	1.2 cu yd	MINIMUM BED LENGTH:	44"
SPREAD WIDTH:	Up to 36'	MATERIAL DELIVERY DIMENSIONS:	15.5" Wide Chain 4" Diameter auger

TEMPEST S150C STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	16" Diameter
VEHICLE COMPATIBILITY:	3/4- & 1-Ton Pickup Trucks	APPROXIMATE WEIGHT (EMPTY):	530 lb
MATERIAL COMPATIBILITY:	Sand & Salt/Sand Mix	OVERALL DIMENSIONS (LxWxH):	107" x 50" x 51.75"
CAPACITY (VOLUME):	1.5 cu yd	HOPPER DIMENSIONS (LxWxH):	84.5" x 50" x 32"
CAPACITY (WEIGHT):	3,240 lb	BODY SIDE LENGTH:	7'
CAPACITY (EXTENSION COLLAR):	2.0 cu yd	MINIMUM BED LENGTH:	76"
SPREAD WIDTH:	Salt: Up to 36' Sand & Salt/Sand Mix: Up to 24'	MATERIAL DELIVERY DIMENSIONS:	Pintle Chain 16" Wide

TEMPEST S150A STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	16" Diameter
VEHICLE COMPATIBILITY:	3/4- & 1-Ton Pickup Trucks	APPROXIMATE WEIGHT (EMPTY):	500 lb
MATERIAL COMPATIBILITY:	Bulk Rock Salt	OVERALL DIMENSIONS (LxWxH):	111.5" x 50" x 50.5"
CAPACITY (VOLUME):	1.5 cu yd	HOPPER DIMENSIONS (LxWxH):	84.5" x 50" x 32"
CAPACITY (WEIGHT):	3,240 lb	BODY SIDE LENGTH:	7'
CAPACITY (EXTENSION COLLAR):	2.0 cu yd	MINIMUM BED LENGTH:	76"
SPREAD WIDTH:	Salt: Up to 36'	MATERIAL DELIVERY DIMENSIONS:	HELIXX Auger 6" Diameter

TEMPEST™ S220C STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	16" Diameter
VEHICLE COMPATIBILITY:	3/4- & 1-Ton Pickup Trucks	APPROXIMATE WEIGHT (EMPTY):	580 lb
MATERIAL COMPATIBILITY:	Sand & Salt/Sand Mix	OVERALL DIMENSIONS (LxWxH):	119.25" x 50" x 55.50"
CAPACITY (VOLUME):	2.2 cu yd	HOPPER DIMENSIONS (LxWxH):	96.5" x 50" x 35.75"
CAPACITY (WEIGHT):	4,752 lb	BODY SIDE LENGTH:	8'
CAPACITY (EXTENSION COLLAR):	2.7 cu yd	MINIMUM BED LENGTH:	90"
SPREAD WIDTH:	Salt: Up to 36' Sand & Salt/Sand Mix: Up to 24'	MATERIAL DELIVERY DIMENSIONS:	Pintle Chain 15.5" Wide

TEMPEST S220A STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	16" Diameter
VEHICLE COMPATIBILITY:	3/4- & 1-Ton Pickup Trucks	APPROXIMATE WEIGHT (EMPTY):	550 lb
MATERIAL COMPATIBILITY:	Bulk Rock Salt	OVERALL DIMENSIONS (LxWxH):	123" x 70" x 71.50"
CAPACITY (VOLUME):	2.2 cu yd	HOPPER DIMENSIONS (LxWxH):	96.5" x 50" x 35.75"
CAPACITY (WEIGHT):	4,752 lb	BODY SIDE LENGTH:	8'
CAPACITY (EXTENSION COLLAR):	2.7 cu yd	MINIMUM BED LENGTH:	90"
SPREAD WIDTH:	Salt: Up to 36' Sand & Salt/Sand Mix: Up to 24'	MATERIAL DELIVERY DIMENSIONS:	HELIXX™ Auger 6" Diameter

TEMPEST S300C STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	16" Diameter
VEHICLE COMPATIBILITY:	Dump Body or Flat Bed Trucks (Over 15,000 lb GVWR)	APPROXIMATE WEIGHT (EMPTY):	750 lb
MATERIAL COMPATIBILITY:	Sand & Salt/Sand Mix	OVERALL DIMENSIONS (LxWxH):	120.25" x 70" x 72.75"
CAPACITY (VOLUME):	3.0 cu yd	HOPPER DIMENSIONS (LxWxH):	96.5" x 70" x 41"
CAPACITY (WEIGHT):	6,480 lb	BODY SIDE LENGTH:	8'
CAPACITY (EXTENSION COLLAR):	4.0 cu yd	MINIMUM BED LENGTH:	90"
SPREAD WIDTH:	Salt: Up to 36' Sand & Salt/Sand Mix: Up to 24'	MATERIAL DELIVERY DIMENSIONS:	Pintle Chain 16" Wide

TEMPEST S300A STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	16" Diameter
VEHICLE COMPATIBILITY:	Dump Body or Flat Bed Trucks (Over 15,000 lb GVWR)	APPROXIMATE WEIGHT (EMPTY):	700 lb
MATERIAL COMPATIBILITY:	Bulk Rock Salt	OVERALL DIMENSIONS (LxWxH):	123" x 70" x 71.50"
CAPACITY (VOLUME):	3.0 cu yd	HOPPER DIMENSIONS (LxWxH):	96.5" x 70" x 41"
CAPACITY (WEIGHT):	6,480 lb	BODY SIDE LENGTH:	8'
CAPACITY (EXTENSION COLLAR):	4.0 cu yd	MINIMUM BED LENGTH:	90"
SPREAD WIDTH:	Salt: Up to 36'	MATERIAL DELIVERY DIMENSIONS:	HELIXX Auger 6" Diameter

TEMPEST™ S400C STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	16" Diameter
VEHICLE COMPATIBILITY:	Dump Body or Flat Bed Trucks (Over 15,000 lb GVWR)	APPROXIMATE WEIGHT (EMPTY):	820 lb
MATERIAL COMPATIBILITY:	Sand & Salt/Sand Mix	OVERALL DIMENSIONS (LxWxH):	128.75" x 70" x 75.50"
CAPACITY (VOLUME):	4.0 cu yd	HOPPER DIMENSIONS (LxWxH):	108.5" x 70" x 43.75"
CAPACITY (WEIGHT):	8,640 lb	BODY SIDE LENGTH:	9'
CAPACITY (EXTENSION COLLAR):	5.0 cu yd	MINIMUM BED LENGTH:	96"
SPREAD WIDTH:	Salt: Up to 36' Sand & Salt/Sand Mix: Up to 24'	MATERIAL DELIVERY DIMENSIONS:	Pintle Chain 16" Wide

TEMPEST™ S400A STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	16" Diameter
VEHICLE COMPATIBILITY:	Dump Body or Flat Bed Trucks (Over 15,000 lb GVWR)	APPROXIMATE WEIGHT (EMPTY):	770 lb
MATERIAL COMPATIBILITY:	Bulk Rock Salt	OVERALL DIMENSIONS (LxWxH):	129" x 70" x 74.25"
CAPACITY (VOLUME):	4.0 cu yd	HOPPER DIMENSIONS (LxWxH):	108.5" x 70" x 43.75"
CAPACITY (WEIGHT):	8,640 lb	BODY SIDE LENGTH:	9'
CAPACITY (EXTENSION COLLAR):	5.0 cu yd	MINIMUM BED LENGTH:	96"
SPREAD WIDTH:	Salt: Up to 36'	MATERIAL DELIVERY DIMENSIONS:	HELIXX™ Auger 6" Diameter

TEMPEST™ S500C STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	16" Diameter
VEHICLE COMPATIBILITY:	Dump Body or Flat Bed Trucks (Over 15,000 lb GVWR)	APPROXIMATE WEIGHT (EMPTY):	910 lb
MATERIAL COMPATIBILITY:	Sand & Salt/Sand Mix	OVERALL DIMENSIONS (LxWxH):	126.25" x 70" x 82.25"
CAPACITY (VOLUME):	5.0 cu yd	HOPPER DIMENSIONS (LxWxH):	108.5" x 70" x 50.5"
CAPACITY (WEIGHT):	10,800 lb	BODY SIDE LENGTH:	9'
CAPACITY (EXTENSION COLLAR):	6.0 cu yd	MINIMUM BED LENGTH:	96"
SPREAD WIDTH:	Salt: Up to 36' Sand & Salt/Sand Mix: Up to 24'	MATERIAL DELIVERY DIMENSIONS:	Pintle Chain 16" Wide

TEMPEST™ S500A STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	16" Diameter
VEHICLE COMPATIBILITY:	Dump Body or Flat Bed Trucks (Over 15,000 lb GVWR)	APPROXIMATE WEIGHT (EMPTY):	850 lb
MATERIAL COMPATIBILITY:	Bulk Rock Salt	OVERALL DIMENSIONS (LxWxH):	1129" x 70" x 81"
CAPACITY (VOLUME):	5.0 cu yd	HOPPER DIMENSIONS (LxWxH):	108.5" x 70" x 50.5"
CAPACITY (WEIGHT):	10,800 lb	BODY SIDE LENGTH:	9'
CAPACITY (EXTENSION COLLAR):	6.0 cu yd	MINIMUM BED LENGTH:	96"
SPREAD WIDTH:	Salt: Up to 36'	MATERIAL DELIVERY DIMENSIONS:	HELIXX Auger 6" Diameter

TEMPEST™ P150C POLY HOPPER SPREADER

HOPPER CONSTRUCTION:	Polyethylene	SPINNER SIZE:	16" Diameter
VEHICLE COMPATIBILITY:	3/4- & 1-Ton Pickup Trucks	APPROXIMATE WEIGHT (EMPTY):	723 lb
MATERIAL COMPATIBILITY:	Sand & Salt/Sand Mix	OVERALL DIMENSIONS (LxWxH):	108.25" x 63.50" x 51.75"
CAPACITY (VOLUME):	1.5 cu yd	HOPPER DIMENSIONS (LxWxH):	96.50" x 63.50" x 46"
CAPACITY (WEIGHT):	3,240 lb	BODY SIDE LENGTH:	7'
CAPACITY (EXTENSION COLLAR):	2.0 cu yd	MINIMUM BED LENGTH:	74"
SPREAD WIDTH:	Salt: Up to 36' Sand & Salt/Sand Mix: Up to 24'	MATERIAL DELIVERY DIMENSIONS:	Pintle Chain 16" Wide

TEMPEST™ P150A POLY HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	16" Diameter
VEHICLE COMPATIBILITY:	3/4- & 1-Ton Pickup Trucks	APPROXIMATE WEIGHT (EMPTY):	673 lb
MATERIAL COMPATIBILITY:	Bulk Rock Salt	OVERALL DIMENSIONS (LxWxH):	108.25" x 63.50" x 51.75"
CAPACITY (VOLUME):	1.5 cu yd	HOPPER DIMENSIONS (LxWxH):	96.50" x 63.50" x 46"
CAPACITY (WEIGHT):	3,240 lb	BODY SIDE LENGTH:	7'
CAPACITY (EXTENSION COLLAR):	2.0 cu yd	MINIMUM BED LENGTH:	74"
SPREAD WIDTH:	Salt: Up to 36'	MATERIAL DELIVERY DIMENSIONS:	HELIXX™ Auger 6" Diameter

TEMPEST™ P220C POLY HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	16" Diameter
VEHICLE COMPATIBILITY:	Dump Body or Flat Bed Trucks (Over 15,000 lb GVWR)	APPROXIMATE WEIGHT (EMPTY):	823 lb
MATERIAL COMPATIBILITY:	Sand & Salt/Sand Mix	OVERALL DIMENSIONS (LxWxH):	119.25" x 50" x 55.50"
CAPACITY (VOLUME):	2.2 cu yd	HOPPER DIMENSIONS (LxWxH):	96.5" x 50" x 35.75"
CAPACITY (WEIGHT):	4,752 lb	BODY SIDE LENGTH:	8'
CAPACITY (EXTENSION COLLAR):	2.7 cu yd	MINIMUM BED LENGTH:	90"
SPREAD WIDTH:	Salt: Up to 36' Sand & Salt/Sand Mix: Up to 24'	MATERIAL DELIVERY DIMENSIONS:	Pintle Chain 16" Wide

TEMPEST™ P220A POLY HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	16" Diameter
VEHICLE COMPATIBILITY:	Dump Body or Flat Bed Trucks (Over 15,000 lb GVWR)	APPROXIMATE WEIGHT (EMPTY):	793 lb
MATERIAL COMPATIBILITY:	Bulk Rock Salt	OVERALL DIMENSIONS (LxWxH):	123" x 70" x 71.50"
CAPACITY (VOLUME):	2.2 cu yd	HOPPER DIMENSIONS (LxWxH):	96.5" x 50" x 35.75"
CAPACITY (WEIGHT):	4,752 lb	BODY SIDE LENGTH:	8'
CAPACITY (EXTENSION COLLAR):	2.7 cu yd	MINIMUM BED LENGTH:	90"
SPREAD WIDTH:	Salt: Up to 36'	MATERIAL DELIVERY DIMENSIONS:	HELIXX Auger 6" Diameter

TEMPEST™ S035C/S035A COMPACT STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	30.5 cm Diameter
VEHICLE COMPATIBILITY:	Compact Trucks	APPROXIMATE WEIGHT (EMPTY):	106.59 kg 87.1 kg
MATERIAL COMPATIBILITY:	Bulk Rock Salt Sand & Salt/Sand Mix	OVERALL DIMENSIONS (LxWxH):	144.8 × 96.5 × 116.8 134.0 × 96.5 × 115.6
CAPACITY (VOLUME):	0.27 cu m	HOPPER DIMENSIONS (LxWxH):	76.2 × 96.5 × 66.0 76.2 × 96.5 × 65.4
CAPACITY (WEIGHT):	340.2 kg	BODY SIDE LENGTH:	76.2 cm
CAPACITY (EXTENSION COLLAR):	0.46 cu m	MINIMUM BED LENGTH:	76.2 cm
SPREAD WIDTH:	0.97 m	MATERIAL DELIVERY DIMENSIONS:	39.37 cm Chain 10.2 cm Diameter Auger

TEMPEST S070C/S070A COMPACT STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	30.5 cm Diameter
VEHICLE COMPATIBILITY:	1/2-ton & Light Duty Pickup Trucks	APPROXIMATE WEIGHT (EMPTY):	190.5 kg 152.9 kg
MATERIAL COMPATIBILITY:	Bulk Rock Salt Sand & Salt/Sand Mix	OVERALL DIMENSIONS (LxWxH):	205.7 × 109.2 × 116.8 205.7 × 108.6 × 114.3
CAPACITY (VOLUME):	0.54 cu m	HOPPER DIMENSIONS (LxWxH):	137.2 × 109.2 × 71.1 138.4 × 108.6 × 69.2
CAPACITY (WEIGHT):	680.39 kg	BODY SIDE LENGTH:	137.2 cm
CAPACITY (EXTENSION COLLAR):	0.92 cu m	MINIMUM BED LENGTH:	137.2 cm
SPREAD WIDTH:	10.97 m	MATERIAL DELIVERY DIMENSIONS:	39.37 cm Chain 10.2 cm Diameter Auger

TEMPEST S150C STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	40.64 cm Diameter
VEHICLE COMPATIBILITY:	3/4- & 1-Ton Pickup Trucks	APPROXIMATE WEIGHT (EMPTY):	340 kg
MATERIAL COMPATIBILITY:	Sand & Salt/Sand Mix	OVERALL DIMENSIONS (LxWxH):	305.4 cm x 177.8 cm x 184.8 cm
CAPACITY (VOLUME):	2.29 cu m	HOPPER DIMENSIONS (LxWxH):	245.11 cm x 177.8 cm x 104.1 cm
CAPACITY (WEIGHT):	2,939 kg	BODY SIDE LENGTH:	2.44 m
CAPACITY (EXTENSION COLLAR):	3.06 cu m	MINIMUM BED LENGTH:	228.6 cm
SPREAD WIDTH:	Salt: Up to 10.97 m Sand & Salt/Sand Mix: Up to 7.32 m	MATERIAL DELIVERY DIMENSIONS:	Pintle Chain 39.37 cm Wide

TEMPEST S150A STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	140.64 cm Diameter
VEHICLE COMPATIBILITY:	3/4- & 1-Ton Pickup Trucks	APPROXIMATE WEIGHT (EMPTY):	227 kg
MATERIAL COMPATIBILITY:	Bulk Rock Salt	OVERALL DIMENSIONS (LxWxH):	283.2 cm x 127 cm x 128.3 cm
CAPACITY (VOLUME):	1.15 cu m	HOPPER DIMENSIONS (LxWxH):	214.6 cm x 127 cm x 81.3 cm
CAPACITY (WEIGHT):	1,470 kg	BODY SIDE LENGTH:	2.13 m
CAPACITY (EXTENSION COLLAR):	1.53 cu m	MINIMUM BED LENGTH:	193 cm
SPREAD WIDTH:	Salt: Up to 10.97 m	MATERIAL DELIVERY DIMENSIONS:	HELIXX Auger 15.25 cm Diameter

TEMPEST™ S220C STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	40.64 cm Diameter
VEHICLE COMPATIBILITY:	3/4- & 1-Ton Pickup Trucks	APPROXIMATE WEIGHT (EMPTY):	268 kg
MATERIAL COMPATIBILITY:	Sand & Salt/Sand Mix	OVERALL DIMENSIONS (LxWxH):	302.9 cm x 127 cm x 141.0 cm
CAPACITY (VOLUME):	1.68 cu m	HOPPER DIMENSIONS (LxWxH):	245.1 cm x 127 cm x 90.8 cm
CAPACITY (WEIGHT):	2,155 kg	BODY SIDE LENGTH:	2.44 m
CAPACITY (EXTENSION COLLAR):	2.06 cu m	MINIMUM BED LENGTH:	228.6 cm
SPREAD WIDTH:	Salt: Up to 10.97 m Sand & Salt/Sand Mix: Up to 7.32 m	MATERIAL DELIVERY DIMENSIONS:	Pintle Chain 39.37 cm Wide

TEMPEST S220A STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	40.64 cm Diameter
VEHICLE COMPATIBILITY:	3/4- & 1-Ton Pickup Trucks	APPROXIMATE WEIGHT (EMPTY):	249 kg
MATERIAL COMPATIBILITY:	Bulk Rock Salt	OVERALL DIMENSIONS (LxWxH):	312.4 cm x 177.8 cm x 181.6 cm
CAPACITY (VOLUME):	1.68 cu m	HOPPER DIMENSIONS (LxWxH):	245.1 cm x 127 cm x 90.8 cm
CAPACITY (WEIGHT):	2,155 kg	BODY SIDE LENGTH:	2.44 m
CAPACITY (EXTENSION COLLAR)	2.06 cu m	MINIMUM BED LENGTH:	228.6 cm
SPREAD WIDTH:	Salt: Up to 10.97 m	MATERIAL DELIVERY DIMENSIONS:	HELIXX™ Auger 15.25 cm Diameter

TEMPEST S300C STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	40.64 cm Diameter
VEHICLE COMPATIBILITY:	Dump Body or Flat Bed Trucks (Over 6803.88 kg GVWR)	APPROXIMATE WEIGHT (EMPTY):	240 kg
MATERIAL COMPATIBILITY:	Sand & Salt/Sand Mix	OVERALL DIMENSIONS (LxWxH):	271.8 cm x 127 cm x 131.4 cm
CAPACITY (VOLUME):	1.15 cu m	HOPPER DIMENSIONS (LxWxH):	214.6 cm x 127 cm x 81.3 cm
CAPACITY (WEIGHT):	1,470 kg	BODY SIDE LENGTH:	2.13 m
CAPACITY (EXTENSION COLLAR)	1.53 cu m	MINIMUM BED LENGTH:	193 cm
SPREAD WIDTH:	Salt: Up to 10.97 m Sand & Salt/Sand Mix: Up to 7.32 m	MATERIAL DELIVERY DIMENSIONS:	Pintle Chain 39.37 cm Wide

TEMPEST S300A STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	40.64 cm
VEHICLE COMPATIBILITY:	Dump Body or Flat Bed Trucks (Over 6803.88 kg GVWR)	APPROXIMATE WEIGHT (EMPTY):	318 kg
MATERIAL COMPATIBILITY:	Bulk Rock Salt	OVERALL DIMENSIONS (LxWxH):	312.4 cm x 177.8 cm x 181.6 cm
CAPACITY (VOLUME):	2.29 cu m	HOPPER DIMENSIONS (LxWxH):	245.11 cm x 177.8 cm x 104.1 cm
CAPACITY (WEIGHT):	2,939 kg	BODY SIDE LENGTH:	2.44 m
CAPACITY (EXTENSION COLLAR)	3.06 cu m	MINIMUM BED LENGTH:	228.6
SPREAD WIDTH:	10.97 m	MATERIAL DELIVERY DIMENSIONS:	HELIXX Auger 15.25 cm Diameter

TEMPEST™ S400C STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	40.64 cm Diameter
VEHICLE COMPATIBILITY:	Dump Body or Flat Bed Trucks (Over 6803.88 kg GVWR)	APPROXIMATE WEIGHT (EMPTY):	372 kg
MATERIAL COMPATIBILITY:	Sand & Salt/Sand Mix	OVERALL DIMENSIONS (LxWxH):	327.0 cm x 177.8 cm x 191.8 cm
CAPACITY (VOLUME):	3.06 cu m	HOPPER DIMENSIONS (LxWxH):	275.6 cm x 177.8 cm x 111.1 cm
CAPACITY (WEIGHT):	3,919 kg	BODY SIDE LENGTH:	2.74 m
CAPACITY (EXTENSION COLLAR):	3.82 cu m	MINIMUM BED LENGTH:	243.8 cm
SPREAD WIDTH:	Salt: Up to 10.97 m Sand & Salt/Sand Mix: Up to 7.32 m	MATERIAL DELIVERY DIMENSIONS:	Pintle Chain 39.37 cm Wide

TEMPEST™ S400A STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	40.64 cm Diameter
VEHICLE COMPATIBILITY:	Dump Body or Flat Bed Trucks (Over 6803.88 kg GVWR)	APPROXIMATE WEIGHT (EMPTY):	349 kg
MATERIAL COMPATIBILITY:	Bulk Rock Salt	OVERALL DIMENSIONS (LxWxH):	327.7 cm x 177.8 cm x 188.6 cm
CAPACITY (VOLUME):	3.06 cu m	HOPPER DIMENSIONS (LxWxH):	275.6 cm x 177.8 cm x 111.1 cm
CAPACITY (WEIGHT):	3,919 kg	BODY SIDE LENGTH:	2.74 m
CAPACITY (EXTENSION COLLAR):	3.82 cu m	MINIMUM BED LENGTH:	243.8 cm
SPREAD WIDTH:	Salt: Up to 10.97 m	MATERIAL DELIVERY DIMENSIONS:	HELIXX™ Auger 15.25 cm Diameter

TEMPEST™ S500C STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	40.64 cm Diameter
VEHICLE COMPATIBILITY:	Dump Body or Flat Bed Trucks (Over 6803.88 kg GVWR)	APPROXIMATE WEIGHT (EMPTY):	413 kg
MATERIAL COMPATIBILITY:	Sand & Salt/Sand Mix	OVERALL DIMENSIONS (LxWxH):	320.7 cm x 177.8 cm x 208.9 cm
CAPACITY (VOLUME):	3.82 cu m	HOPPER DIMENSIONS (LxWxH):	275.6 cm x 177.8 cm x 128.3 cm
CAPACITY (WEIGHT):	4,899 kg	BODY SIDE LENGTH:	2.74 m
CAPACITY (EXTENSION COLLAR):	4.59 cu m	MINIMUM BED LENGTH:	243.8 cm
SPREAD WIDTH:	Salt: Up to 10.97 m Sand & Salt/Sand Mix: Up to 7.32 m	MATERIAL DELIVERY DIMENSIONS:	Pintle Chain 39.37 cm Wide

TEMPEST™ S500A STAINLESS STEEL HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	40.64 cm Diameter
VEHICLE COMPATIBILITY:	Dump Body or Flat Bed Trucks (Over 6803.88 kg GVWR)	APPROXIMATE WEIGHT (EMPTY):	386 kg
MATERIAL COMPATIBILITY:	Bulk Rock Salt	OVERALL DIMENSIONS (LxWxH):	327.7 cm x 177.8 cm x 205.7 cm
CAPACITY (VOLUME):	3.82 cu m	HOPPER DIMENSIONS (LxWxH):	275.6 cm x 177.8 cm x 128.3 cm
CAPACITY (WEIGHT):	4,899 kg	BODY SIDE LENGTH:	2.74 m
CAPACITY (EXTENSION COLLAR):	4.59 cu m	MINIMUM BED LENGTH:	243.8 cm
SPREAD WIDTH:	Salt: Up to 10.97 m	MATERIAL DELIVERY DIMENSIONS:	HELIXX™ Auger 15.25 cm Diameter

TEMPEST™ P150C POLY HOPPER SPREADER

HOPPER CONSTRUCTION:	Polyethylene	SPINNER SIZE:	40.64 cm Diameter
VEHICLE COMPATIBILITY:	3/4- & 1-Ton Pickup Trucks	APPROXIMATE WEIGHT (EMPTY):	328 kg
MATERIAL COMPATIBILITY:	Sand & Salt/Sand Mix	OVERALL DIMENSIONS (LxWxH):	275.0 cm x 161.3 cm x 131.4 cm
CAPACITY (VOLUME):	1.15 cu m	HOPPER DIMENSIONS (LxWxH):	245.1 cm x 161.3 cm x 116.8 cm
CAPACITY (WEIGHT):	1,469.9 kg	BODY SIDE LENGTH:	2.13 m
CAPACITY (EXTENSION COLLAR):	1.53 cu m	MINIMUM BED LENGTH:	188.0 cm
SPREAD WIDTH:	Salt: Up to 10.97 m Sand & Salt/Sand Mix: Up to 7.32 m	MATERIAL DELIVERY DIMENSIONS:	Pintle Chain 39.37 cm Wide

TEMPEST™ P150A POLY HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	40.64 cm Diameter
VEHICLE COMPATIBILITY:	3/4- & 1-Ton Pickup Trucks	APPROXIMATE WEIGHT (EMPTY):	305.3 kg
MATERIAL COMPATIBILITY:	Bulk Rock Salt	OVERALL DIMENSIONS (LxWxH):	275.6 cm x 161.3 cm x 131.4 cm
CAPACITY (VOLUME):	1.15 cu m	HOPPER DIMENSIONS (LxWxH):	245.1 cm x 161.3 cm x 116.8 cm
CAPACITY (WEIGHT):	1,469.9 kg	BODY SIDE LENGTH:	2.13 m
CAPACITY (EXTENSION COLLAR):	1.53 cu m	MINIMUM BED LENGTH:	188.0 cm
SPREAD WIDTH:	Salt: Up to 10.97 m	MATERIAL DELIVERY DIMENSIONS:	HELIXX™ Auger 15.25 cm Diameter

TEMPEST™ P220C POLY HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	40.64 cm Diameter
VEHICLE COMPATIBILITY:	Dump Body or Flat Bed Trucks (Over 6803.88 kg GVWR)	APPROXIMATE WEIGHT (EMPTY):	373.3 kg
MATERIAL COMPATIBILITY:	Sand & Salt/Sand Mix	OVERALL DIMENSIONS (LxWxH):	295.3 cm x 161.3 cm x 141.0 cm
CAPACITY (VOLUME):	1.68 cu m	HOPPER DIMENSIONS (LxWxH):	245.1 cm x 161.3 cm x 130.8 cm
CAPACITY (WEIGHT):	2,155 kg	BODY SIDE LENGTH:	2.44 m
CAPACITY (EXTENSION COLLAR):	2.06 cu m	MINIMUM BED LENGTH:	228.6 cm
SPREAD WIDTH:	Salt: Up to 10.97 m Sand & Salt/Sand Mix: Up to 7.32 m	MATERIAL DELIVERY DIMENSIONS:	Pintle Chain 39.37 cm Wide

TEMPEST™ P220A POLY HOPPER SPREADER

HOPPER CONSTRUCTION:	Riveted 16 Gauge Stainless Steel	SPINNER SIZE:	40.64 cm Diameter
VEHICLE COMPATIBILITY:	Dump Body or Flat Bed Trucks (Over 6803.88 kg GVWR)	APPROXIMATE WEIGHT (EMPTY):	360 kg
MATERIAL COMPATIBILITY:	Bulk Rock Salt	OVERALL DIMENSIONS (LxWxH):	295.3 cm x 161.3 cm x 141.0 cm
CAPACITY (VOLUME):	1.68 cu m	HOPPER DIMENSIONS (LxWxH):	245.1 cm x 161.3 cm x 130.8 cm
CAPACITY (WEIGHT):	2,155 kg	BODY SIDE LENGTH:	2.44 m
CAPACITY (EXTENSION COLLAR):	2.06 cu m	MINIMUM BED LENGTH:	228.6 cm
SPREAD WIDTH:	Salt: Up to 10.97 m	MATERIAL DELIVERY DIMENSIONS:	HELIXX™ Auger 15.25 cm Diameter




BORN IN THE USA.

SNOW + ICE IN OUR DNA

In 1948, a man named Dean Fisher started a snowplow company. The name was simple: His. And the destination was busy: Boston. So after a trip to see the in-laws in Maine, the plan changed.

frozen into culture as the leader of snow and ice removal. Our success grew us out of the garage, but we've always kept that day-one spirit. Still building, testing, and proving right here in Rockland.

Fisher chose a small coastal town called Rockland. In his words: "What better place to build snowplows than in snow country?" He began in a small garage by the water, and designed over 50 snowplows that first winter. Parts were chained to the pier—testing corrosion in the cold, salty ocean. That set the relentless bar for every winter to come. Over 75 years later, snowplows from Fisher Engineering are



“THE BEST PRODUCT WE KNOW HOW TO MAKE. THE BEST SERVICE WE KNOW HOW TO GIVE.”


-Dean Fisher

FISHER STORIES:

INSIDE THIS 7TH GENERATION MAINER'S LIFE, LOSS, & LEGACY.

Dave Wiley is the Technical Service Manager at Fisher Engineering and has been with the brand since 2009. But his roots in Maine go far deeper. He's the 7th generation to live on his family's property in Warren, and holds a special perspective on life, loss, and what it means to build a legacy. In this debut episode of FISHER Stories, we join Dave and his restored 1953 Jeep Willy to uncover the person behind the plow.

Scan to watch



FISHER ENGINEERING | 50 Gordon Drive | Rockland, Maine 04841

Fisher Engineering reserves the right under its product improvement policy to change construction or design details and furnish equipment when so altered without reference to illustrations or specifications used. Fisher Engineering or the vehicle manufacturer may require or recommend optional equipment for spreaders. Do not exceed vehicle ratings with a spreader. This product is manufactured under the following US patents: 7,347,390; 7,540,436; 9,033,265; 9,296,571; 9,757,744; 11,680,379; and other patents pending. Fisher Engineering offers a limited warranty for all spreaders. See separately printed page for this important information. The following are registered (®) or unregistered (™) trademarks of Douglas Dynamics, LLC: FISHER®, HELIXX™, QUICK-CASTER™, SPEED-CASTER™, TEMPEST™



FISHERPLOW.COM

© 2025 Douglas Dynamics, LLC
All rights reserved.



SEE YOU IN THE STORM