

PRO SERIES SALTDogg SPREADERS

MAXIMUM DURABILITY MAXIMUM RELIABILITY

PRO SERIES COMMERCIAL DUTY SPREADERS



PRO2000
2 Cubic Yard Capacity

PRO2500
2.5 Cubic Yard Capacity



PRO SERIES DURABILITY



Patented double wall poly hopper built in our own factory and US 304 stainless steel trough

PRO SERIES POWER



Two 12V direct drive gear motors
(3/4 HP for auger or chain and 1/2 HP for spinner)

PRO SERIES CONVENIENCE



Swing away chute for easy cleaning, storage, and bulk unloading

PRO SERIES RELIABILITY



Full hopper length auger or chain feed for better material movement and less reliance on vibrator



ALL THE FEATURES A *PRO* WOULD DEMAND

PRO SERIES SPREADER

STANDARD SPREADER

VS



PRO1500
1.5 Cubic Yard Capacity



SHPE1500
1.5 Cubic Yard Capacity

PRO Series Spreaders - Pages 12 - 17

Material Feed	Full Length 5-3/4" Auger or 12" Pintle Chain
Capacity	1.5 Cubic Yards to 8 Cubic Yards
Materials	Bulk Salt, Sand*, or 50/50 Sand & Salt Mix without Reliance on Vibrator
Power Driveline	3/4 HP Motor for Feed & 1/2 HP Motor for Spinner
Chute	Removable Swing Away

SHPE Series Spreaders - Pages 18 - 19

Material Feed	2-1/2" x 36" Auger
Capacity	0.45 Cubic Yards to 2 Cubic Yards
Materials	Bulk Salt or 50/50 Sand & Salt Mix with Reliance on Vibrator
Power Driveline	1/2 HP Motor for Feed & 1/4 HP Motor for Spinner
Chute	Removable

*Bulk sand is for chain feed only

COMMERCIAL GRADE PRO SERIES ELECTRIC POLY SPREADERS

5-1/4 Inch Auger or 12 Inch Pintle Chain Feed



2-YEAR WARRANTY
on all
PRO Series
Spreaders



PRO2500 shown

COMMON FEATURES

Spread Range: 5-30 feet

Construction: Patented double-wall poly hopper

- Additional Features:**
- Top screen
 - Chute adjusts to 3 positions
 - Stainless steel inverted V
 - Swing-away chute for bulk unloading

INCLUDED ACCESSORIES

- Tarp
- Tie-downs kit
- 12V vibrator rated at 200 lb

CONTROLLER

Variable speed controller

- Independent auger / conveyor and spinner control
- Vibrator control



3057918

OPTIONAL ACCESSORIES



PART NO.	DESCRIPTION
3034577	EZ Lids™ for PRO2000 / PRO2000CH

See pg. 21 for details



PART NO.	DESCRIPTION
LS13	Pre-Wet System with 60 Gallon Tank for PRO2000 and PRO2500 Series

See pg. 54 for details



AUGER MODELS

Feed Mechanism: 5-1/4 inch full length steel variable pitch auger, stainless steel trough

Motor: Two 12V direct drive gear motors (3/4 HP for auger and 1/2 HP for spinner)

PRO1500

Capacity: 1.5 cubic yards (6 feet)

Application: Minimum 10,000 lb GVW

PRO2000

Capacity: 2 cubic yards (8 feet)

Application: Minimum 10,000 lb GVW

PRO2500

Capacity: 2.5 cubic yards (8 feet)

Application: Minimum 13,000 lb GVW

Bulk Salt	Bulk Sand	Bagged #1 Rock Salt	50 / 50 Salt / Sand
✓		✓	✓



CHAIN MODELS

Feed Mechanism: 12 inch wide all steel pintle chain conveyor and stainless steel trough

Motor: Two 12V direct drive gear motors (3/4 HP for chain and 1/2 HP for spinner)

PRO1500CH

Capacity: 1.5 cubic yards (6 feet)

Application: Minimum 10,000 lb GVW

PRO2000CH

Capacity: 2 cubic yards (8 feet)

Application: Minimum 10,000 lb GVW

PRO2500CH

Capacity: 2.5 cubic yards (8 feet)

Application: Minimum 13,000 lb GVW

Bulk Salt	Bulk Sand	Bagged #1 Rock Salt	50 / 50 Salt / Sand
✓	✓	✓	✓

COMMERCIAL GRADE PRO SERIES 3 CUBIC YARD SPREADER

5-1/4 Inch Auger or 12 Inch Pintle Chain Feed



2-YEAR WARRANTY
on all
PRO Series
Spreaders



Shown with optional lids 3047876

COMMON FEATURES

Spread Range: 5-30 feet

Construction: Patented double-wall poly hopper

- Additional Features:**
- Top screen
 - Chute adjusts to 3 positions
 - Stainless steel inverted V
 - Swing-away chute for bulk unloading

INCLUDED ACCESSORIES

- Tarp
- Tie-downs kit
- 12V vibrator rated at 200 lb

CONTROLLER

Variable speed controller

- Independent auger / conveyor and spinner control
- Vibrator control



3057918

OPTIONAL ACCESSORIES



PART NO. DESCRIPTION

3047876 EZ Lids™ for PRO3000 / PRO3000CH

See pg. 21 for details



Shown with optional lids 3047876

AUGER MODEL

PRO3000 — Commercial Use

Capacity: 3 cubic yards (9 feet 6 inches)

Application: Minimum 13,000 lb GVW

Feed Mechanism: 6 inch steel auger, stainless steel trough

Motor: Two 12V direct drive gear motors (3/4 HP for auger and 1/2 HP for spinner)

Bulk Salt	Bulk Sand	Bagged #1 Rock Salt	50 / 50 Salt / Sand
✓		✓	✓



Shown with optional lids 3047876

CHAIN MODEL

PRO3000CH — Commercial Use

Capacity: 3 cubic yards (9 feet 6 inches)

Application: Minimum 13,000 lb GVW

Feed Mechanism: 12 inch wide all steel pintle chain conveyor

Motor: Two 12V direct drive gear motors (3/4 HP for chain and 1/2 HP for spinner)

Bulk Salt	Bulk Sand	Bagged #1 Rock Salt	50 / 50 Salt / Sand
✓	✓	✓	✓

COMMERCIAL GRADE PRO SERIES 4-8 CUBIC YARD SPREADERS

5-1/2 Inch Auger or 14-1/2 Inch Pintle Chain Feed



2-YEAR WARRANTY
on all
PRO Series
Spreaders



PRO4000CH shown

COMMON FEATURES

Spread Range: 5-30 feet

Construction: Double-wall poly-molded hopper with stainless steel frame

Power: Electric or hydraulic

Additional Features:

- Two top screens
- Stainless steel inverted V
- Swing away chute for easy bulk unloading

INCLUDED ACCESSORIES

- Vinyl tarp with tie-down kit (PRO4000 series)
- 12V 400 lb vibrator (PRO4000 series)
- 12V 900 lb vibrator (PRO6000 series)

CONTROLLER

Variable speed controller

- Independent auger / conveyor and spinner control
- Vibrator control



3057918



PR06000

NEW AUGER MODELS

Feed Mechanism: 5-1/2 inch steel auger, stainless steel trough
Motor: Two 12V direct drive motors (3/4 HP for auger, 1/2 HP for spinner)

PR04000

Capacity: 4 cubic yards (10 feet 7 inches)
Application: Minimum 17,500 lb GVW

PR06000

Capacity: 6 cubic yards (10 feet 7 inches)
Application: Minimum 26,000 lb GVW

PR08000*

Capacity: 8 cubic yards (10 feet 7 inches)
Application: Minimum 26,000 lb GVW

Bulk Salt	Bulk Sand	Bagged #1 Rock Salt	50 / 50 Salt / Sand
✓		✓	✓

ALL MODELS AVAILABLE WITH **HYDRAULIC DRIVES**



PR04000CH

NEW CHAIN MODELS

Feed Mechanism: 14-1/2 inch wide all steel pintle chain conveyor
Motor: Two 12V direct drive motors (3/4 HP for chain, 1/2 HP for spinner)

PR04000CH

Capacity: 4 cubic yards (10 feet 7 inches)
Application: Minimum 17,500 lb GVW

PR06000CH

Capacity: 6 cubic yards (10 feet 7 inches)
Application: Minimum 26,000 lb GVW

PR08000CH*

Capacity: 8 cubic yards (10 feet 7 inches)
Application: Minimum 26,000 lb GVW

Bulk Salt	Bulk Sand	Bagged #1 Rock Salt	50 / 50 Salt / Sand
✓	✓	✓	✓

ALL MODELS AVAILABLE WITH **HYDRAULIC DRIVES**

ELECTRIC POLY SPREADERS

2-1/2 Inch Auger Feed



SHPE2000 shown with EZ Lids™

2-YEAR WARRANTY
on all SHPE Spreaders



COMMON FEATURES

Spread Range: 5-30 feet

Feed Mechanism: 2-1/2 inch stainless steel auger and trough

Motor: Two 12V direct drive gear motors
(1/2 HP for auger, 1/4 HP for spinner)

Construction: Patented double-wall poly hopper

- Additional Features:**
- Top screen
 - Removable spinner assembly
 - Independent direct drive auger and spinner motors
 - SHPE Chute extension kit available

INCLUDED ACCESSORIES

- 200 lb vibrator
- Fitted tarp
- Tie-downs
- Remote auger bearing grease kit

CONTROLLER

Variable speed controller

- Vibrator On/Off switch with pause button
- Independent auger and spinner controls
- Auto reverse functionality to help clear auger jams



3014199

OPTIONAL ACCESSORIES



PART NO.	DESCRIPTION
3034577	EZ Lids™ for SHPE2000 Series (2018+ Models)



LS14
(Mounted on SHPE2000)

PART NO.	DESCRIPTION
LS14	Pre-Wet System with 60 Gallon Tank for SHPE2000 (2018+ Models)

See pg. 54 for full details



PART NO.	DESCRIPTION
3057470	SHPE Chute Extension Kit

SHPE0400 — Light / Medium Commercial Use

Capacity: 0.4 cubic yards
Application: UTVs

Bulk Salt	Bulk Sand	Bagged #1 Rock Salt	50 / 50 Salt / Sand
✓		✓	✓



SHPE0750 — Light / Medium Commercial Use

Capacity: 0.75 cubic yards
Application: UTVs, 1/2, and 3/4 ton trucks

Bulk Salt	Bulk Sand	Bagged #1 Rock Salt	50 / 50 Salt / Sand
✓		✓	✓



SHPE1000 — Commercial Use

Capacity: 1 cubic yard
Application: 1/2 and 3/4 ton trucks

Bulk Salt	Bulk Sand	Bagged #1 Rock Salt	50 / 50 Salt / Sand
✓		✓	✓



SHPE1500 — Commercial Use

Capacity: 1.5 cubic yard
Application: 3/4 and 1 ton trucks

Bulk Salt	Bulk Sand	Bagged #1 Rock Salt	50 / 50 Salt / Sand
✓		✓	✓



SHPE2000 — Commercial Use

Capacity: 2 cubic yard
Application: 3/4 and 1 ton trucks

Bulk Salt	Bulk Sand	Bagged #1 Rock Salt	50 / 50 Salt / Sand
✓		✓	✓



POLY HOPPER SPREADERS **COMPARISON CHART**

PART NO.	CAPACITY CU. YDS.	POWER	HOPPER MATERIAL	SPREAD (FT)	VEHICLE APPLICATION	FEED MECHANISM	DIMENSIONS (H X W X L)	WT. (LB)
PRO1500	1.5	Electric	Poly	5-30	Minimum 10,000 lb GVW	Auger	38" x 48" x 89.5" 82" Hopper Length	647
PRO1500CH	1.5	Electric	Poly	5-30	Minimum 10,000 lb GVW	Chain	38" x 48" x 89.5" 82" Hopper Length	667
PRO2000	2.0	Electric	Poly	5-30	Minimum 10,000 lb GVW	Auger	44.3" x 48" x 96" 90" Hopper Length	705
PRO2000CH	2.0	Electric	Poly	5-30	Minimum 10,000 lb GVW	Chain	44.3" x 48" x 96" 90" Hopper Length	725
PRO2500	2.5	Electric	Poly	5-30	Minimum 13,000 lb GVW	Auger	44.3" x 48" x 116.5" 114" Hopper Length	986
PRO2500CH	2.5	Electric	Poly	5-30	Minimum 13,000 lb GVW	Chain	44.3" x 48" x 116.5" 114" Hopper Length	1,023
PRO3000	3.0	Electric	Poly	5-30	Minimum 13,000 lb GVW	Auger	53" x 50" x 124"	895
PRO3000CH	3.0	Electric	Poly	5-30	Minimum 13,000 lb GVW	Chain	53" x 50" x 124"	1,095
PRO4000	4.0	Electric	Poly	5-30	Minimum 17,500 lb GVW	Auger	43.5" x 74" x 114.8"	895
PRO4000CH	4.0	Electric	Poly	5-30	Minimum 17,500 lb GVW	Chain	43.5" x 74" x 114.8"	895
PRO4000H	4.0	Hydraulic	Poly	5-30	Minimum 17,500 lb GVW	Auger	43.5" x 74" x 114.8"	895
PRO4000HCH	4.0	Hydraulic	Poly	5-30	Minimum 17,500 lb GVW	Chain	43.5" x 74" x 114.8"	912
PRO6000	6.0	Electric	Poly	5-30	Minimum 26,000 lb GVW	Auger	57" x 77" x 133.5"	1,134
PRO6000CH	6.0	Electric	Poly	5-30	Minimum 26,000 lb GVW	Chain	57" x 77" x 133.5"	1,134
PRO6000H	6.0	Hydraulic	Poly	5-30	Minimum 26,000 lb GVW	Auger	57" x 77" x 133.5"	1,496
PRO6000HCH	6.0	Hydraulic	Poly	5-30	Minimum 26,000 lb GVW	Chain	57" x 77" x 133.5"	1,864
PRO8000*	8.0	Electric	Poly	5-30	Minimum 26,000 lb GVW	Auger	66" x 82" x 139"	1,680
PRO8000CH*	8.0	Electric	Poly	5-30	Minimum 26,000 lb GVW	Chain	66" x 82" x 139"	1,890
PRO8000H*	8.0	Hydraulic	Poly	5-30	Minimum 26,000 lb GVW	Auger	66" x 82" x 139"	1,680
PRO8000HCH*	8.0	Hydraulic	Poly	5-30	Minimum 26,000 lb GVW	Chain	66" x 82" x 139"	1,890
SHPE0400	0.4	Electric	Poly	5-30	UTVs	Auger	23" x 51.2" x 50" 40" Hopper Length	265
SHPE0750	0.75	Electric	Poly	5-30	UTVs, 1/2, and 3/4 ton trucks	Auger	28" x 48" x 63.2" 53" Hopper Length	280
SHPE1000	1.0	Electric	Poly	5-30	1/2 and 3/4 ton trucks	Auger	34" x 48" x 71.5" 68" Hopper Length	343
SHPE1500	1.5	Electric	Poly	5-30	3/4 and 1 ton trucks	Auger	38" x 50.5" x 99.7" 87" Hopper Length	520
SHPE2000	2.0	Electric	Poly	5-30	3/4 and 1 ton trucks	Auger	40" x 47.8" x 100" 96" Hopper Length	560

POLY HOPPER SPREADER ACCESSORIES

Pre-Wet Systems (see pg. 52 for full details)



LS13 (Mounted on PRO2000)

PART NO.	DESCRIPTION	APPLICATION
LS13	Electric 60 Gallon Tank System	PRO1500, PRO2000, PRO2500 Series
LS14	Electric 60 Gallon Tank System	SHPE2000 (2018+ Models)
LS18	Electric 60 Gallon Tank System	SHPE1500 (2021+ Models)

EZ Lids™ for SHPE2000 / PRO2000 / PRO3000



EZ Lids™ shown on PRO2000

- Helps keep moisture and debris out of your hopper to keep your material pure
- Durable poly construction won't corrode and resists wear and tear
- Easily attaches to SaltDogg® SHPE2000 (2018+), PRO2000, and PRO3000 series spreaders using the included mounting hardware

PART NO.	DESCRIPTION
3034577	EZ Lids™ for SHPE2000 and PRO2000 Series (2018+ Models)
3047876	EZ Lids™ for PRO3000 Series

Ultra Bright 5" LED Flood Light



1492128



1492127

PART NO.	DESCRIPTION	LEDS	LUMENS
1492128	5" Square LED Flood Light	16	4,320
1492127	5" Round LED Flood Light	14	3,780

Additional lighting options and details on pg. 58

PRO2500/3000/4000 Spreader Stands

(see pg. 30 for details)



3050559

PART NO.	DESCRIPTION
3050559	Black Powder-Coated Spreader Stand for 8ft.-10ft.
3050560	Galvanized Spreader Stand for 8ft.-10ft.
3046442	Stainless Steel Spreader Stand for 8ft.-10ft.