

ENCLOSED SERVICE BODIES



READY VAN SL™BODY
CLASSIC SERVICE VAN™BODY
CLASSIC II™ PANEL BODY

MADE IN THE USA





READY VAN SL BODY

When you're searching for the best steel service vans, remember that we set the bar for durability, functionality and performance. Our Ready Van SL offers exceptional value and is backed by our industry-leading six-year warranty.



CLASSIC SERVICE VAN BODY


Our high-capacity aluminum Classic Service Van offers an enclosed workspace for keeping everything safe and organized. Backed by an industry-leading 10-year warranty, the CSV is the mobile workspace of choice for telecom, plumbers, HVAC and utility contractors.



CLASSIC II PANEL BODY

Our straight and tapered panel bodies feature exterior compartments and an interior workspace that help you safely bring all the parts and tools you require on a jobsite. Wherever you work, the enclosed top design provides year-round, all-weather protection. Our panel bodies are available in galvannealed steel or aluminum in a range of sizes that can be custom designed to your needs.







IS STEEL RIGHT FOR YOU? OR ALUMINUM? IT DEPENDS.

Choose our award-winning, lightweight aluminum body to help save fuel, save money and increase your payloads all while carrying the industry's best warranties. Or choose our A60 coating-weight galvannealed steel bodies with acrylic E-coat primer and powder coat finish.

Which one works best depends on your job, industry, geography, weather conditions and your specific needs.

STEEL

Sometimes you just need the strength of steel when you are hauling heavy material or equipment in harsh environments.

The strength and resistant properties of steel make it one of the most durable industrial materials. Our premium A60 coating-weight steel and our exclusive triple protection E-coat primer and powder coat finish help to resist corrosion. A steel service body is built for a more demanding environment, like mining, oil and gas, maintenance and rail industries.

ALUMINUM

Over 40 years ago, we were the first manufacturer to produce an aluminum service body. Today, we're a premier manufacturer of aluminum truck bodies in North America.

Aluminum's lightweight properties make it easier on your truck's drive train, which could help lead to a longer life for your truck. While a service body that's lighter on the road can lead to reduced fuel costs, it also allows you to increase your payload, both of which can save you money. And, with aluminum being naturally corrosion-resistant, our E-coat primer and durable powder coat finish makes it capable of withstanding years of heavy use — all around better for the environment.

readingtruck.com

STANDARD FEATURES STEEL BODY



STANDARD FEATURES STEEL BODY

FEATURES APPLY TO RVSL AND PANEL BODIES UNLESS OTHERWISE NOTED.

1 LED LIGHTS

LED combination lights last longer, stay cooler and glow brighter. They're water-resistant with automotive-grade sealed connectors.

2 SECURE REAR DOORS

Strong, secure rear doors protect your cargo with a stainless steel rotary lock and paddle handle inside door release.

3 BUMPERS

A selection of bumpers prevents body damage and gives you a safe, slip-resistant step surface to avoid falls. The frame-mounted bumper constructed from galvannealed steel features an E-coat primer and white powder coat finish for extra durability.

4 DUAL-PRO® SEAL SYSTEM

Get twice the defense against weather. Our premium Dual-Pro door seal system combines automotive-quality weatherstripping with mechanical seals. Plus, our design increases clear door openings in every compartment.

5 GALVANIZED SHELVES

Designed with 2" dividers for plenty of small-item storage.* Full access between the horizontal and rear vertical compartment lets you store longer tools.

6 HEAVY-DUTY COMPARTMENT DOORS

Heavy-duty compartment doors feature double-paneled construction with internal reinforcement and heavy gauge steel panels that can handle the roughest jobsites.

7 ROTARY LOCKS

Stainless steel rotary locks look attractive and have no exposed fasteners. They feature a double-bitted, high-quality locking cylinder; adjustable striker pins; and an O-ring seal to stop water intrusion.

AVAILABLE ONLY ON RVSL:

8 BOLT-ON HINGES

Stainless steel bolt-on hinges are protected from the elements with a fully concealed pin and marine-grade stainless steel bearings to ensure smooth, reliable operation.

9 SPRING-LOADED DOOR HOLDERS

Spring-loaded door holders on all vertical doors allow easy access to whatever you need by holding the door open in a 90-degree position. It includes a removable hasp to create an extra-wide opening.

CAB ACCESS DOOR

Easily move between your workspace and the cab. Quiet, smooth-operating, maintenance-free and fully adjustable.**

AVAILABLE ONLY ON PANEL BODIES:

HIDDEN HINGES

Hidden hinges deter forced entry and protect against corrosion without needing frequent lubrication or maintenance. The fully adjustable hinges can be replaced without damage to the body or door.

GAS STRUT DOOR HOLDERS

Nitrogen gas door struts control opening and closing of all vertical compartment doors.

ALUMA-FILL® FUEL RECEPTACLE

Our Aluma-Fill fuel receptacle protects the body and finish from accidental nicks and scratches from fuel nozzles and is more durable than plastic brackets.

GRAB HANDLE

Safely step into the rear of the service van.

readingtruck.com

STANDARD FEATURES ALUMINUM BODY



STANDARD FEATURES ALUMINUM BODY

FEATURES APPLY TO CLASSIC SERVICE VAN.

HIDDEN HINGES

Hidden hinges deter forced entry and protect against corrosion without needing frequent lubrication or maintenance. The fully adjustable hinges can be replaced without damage to the body or door.

2 LED LIGHTS

LED combination lights last longer, stay cooler and glow brighter. They're water-resistant with automotive-grade sealed connectors. LED marker lights are located above the rear doors.

3 SECURE REAR DOORS

Strong, secure rear doors give you maximum cargo protection with a stainless steel rotary lock and paddle handle inside door release.

REAR ACCESS DOORS

Lockable, drop-down rear access doors provide easy storage of pipes and conduit.

5 BUMPER

The bumper prevents body damage and gives you a safe, slipresistant step surface to help avoid falls. The frame-mounted bumper is constructed from galvannealed steel with an E-coat primer and white powder coat finish.

6 DUAL-PRO® SEAL SYSTEM

Get twice the defense against weather. Our premium Dual-Pro door seal system combines an automotive-quality weather-stripping with mechanical seals. Our design increases clear door openings in every compartment.

7 GALVANIZED SHELVES

Designed with 2" dividers for plenty of small-item storage.* Full access between the horizontal and rear vertical compartment lets you store longer tools.

13 ROTARY LOCKS

Stainless steel rotary locks look attractive and have no exposed fasteners. They feature a double-bitted, high-quality locking cylinder; adjustable striker pins; and an O-ring seal to stop water intrusion.



9 HEAVY-DUTY COMPARTMENT DOORS

Heavy-duty compartment doors feature double-paneled construction with internal reinforcement and heavy gauge aluminum panels to handle years of use.

100 GAS STRUT DOOR HOLDERS


Nitrogen gas door struts control opening and closing of all vertical compartment doors.

111 INTERIOR DOME LIGHTS

The cargo area features two interior LED dome lights with a rear light switch for improved visibility and a well-lit workspace.

12 CAB ACCESS DOOR

Easily move between your workspace and the cab. Quiet, smooth-operating, maintenance-free and fully adjustable.**



GRAB HANDLE

Safely step into the rear of the service van.

readingtruck.com

POPULAR OPTIONS



CONTOURED WIND DEFLECTOR

Built-in fiberglass front wind deflector improves aerodynamics and reduces cab noise for greater comfort. (Available on 75" models only)

LATCH-MATIC® SECURITY SYSTEM

Our Latch-Matic system adds power locking to all main compartment doors. It can be controlled with your existing OEM key fob remote and chassis power door locks. When the Latch-Matic system is integrated into the chassis, the driver's key fob and door lock switches will lock and



unlock the service body and the chassis doors.

LED COMPARTMENT LIGHTING

Flex strip lighting and dome lights work together with the Latch-Matic system, activating lights when compartment doors are locked and unlocked. Designed to automatically go off after 10 minutes.





LADDER RACK

Aluminum, three-bar, roof-mounted overhead ladder rack frees up interior storage space. Single and dual pull-down assist ladder racks are available.

ACCESS LADDER

Enjoy easy access to roof-mounted ladder racks. Can be mounted curbside or roadside. (Available on CSV 72"/75" and RVSL 72"/75" models only)



VISIBILITY PACKAGE

A 6" x 24" window with a protective screen in each rear cargo door lets more light into your workspace and improves visibility.

MASTER-LOCKING STEEL SLIDE BAR

Protect your valuables with the master-locking steel slide bar. It simultaneously locks all side compartment doors for instant security and peace of mind. Spring loaded for easy operation.

RECEIVER HITCH

Designed to fit your heavy-duty towing needs.





readingtruck.com ENCLOSED SERVICE BODIES 11




FORD TRANSIT BODY

- For Ford Transit, choose steel or aluminum.
- Reading bodies are available for Ford Transit Cutaway and Transit Chassis Cab.

Available in: RVSL STEEL CSV ALUMINUM

READY VAN SL-STEEL FORD TRANSIT CUTAWAY



CHOICE OF:

COMPARTMENT SIZES

| V1 | 25" W x 40" H | 15.5" D |
|----|---------------|---------|
| V2 | 25" W x 40" H | 15.5" D |
| Н | 54" W x 18" H | 15.5" D |
| VR | 20" W x 40" H | 15.5" D |

| LENGTH 132 | HEIGHT 57 | WIDTH 85.5 |
|------------------|--------------------|-------------------|
| TYP. WEIGHT (SW) | STEEL 2,120 | |


COMPARTMENT SIZES

| V1 | 25" W x 40" H | 15.5" D |
|----|---------------|---------|
| V2 | 25" W x 40" H | 15.5" D |
| Н | 54" W x 18" H | 15.5" D |
| VR | 20" W x 40" H | 15.5" D |

| LENGTH 132 | HEIGHT 72 | WIDTH 85.5 |
|------------------|--------------------|-------------------|
| TYP. WEIGHT (SW) | STEEL 2,245 | |

CLASSIC SERVICE VAN - ALUMINUM

FORD TRANSIT CUTAWAY • TRANSIT CHASSIS CAB



CURBSIDE VIEW

CHOICE OF:

COMPARTMENT SIZES

| V1 | 30" W x 40" H | 15.5" D |
|----|---------------|---------|
| V2 | 26" W x 40" H | 15.5" D |
| н | 52" W x 18" H | 15.5" D |
| VR | 20" W x 40" H | 15.5" D |

| LENGTH 132 | HEIGHT 57 | WIDTH 85.5 |
|-------------------|-----------------------|-------------------|
| TYP. WEIGHT (SW) | ALUMINUM 1,285 | |

COMPARTMENT SIZES


| V1 | 30" W x 40" H | 15.5" D |
|----|---------------|---------|
| V2 | 26" W x 40" H | 15.5" D |
| Н | 52" W x 18" H | 15.5" D |
| VR | 20" W x 40" H | 15.5" D |

| LENGTH 132 | HEIGHT 72 | WIDTH 85.5 |
|------------------|-----------------------|-------------------|
| TYP. WEIGHT (SW) | ALUMINUM 1,415 | |

FORD E-SERIES & GM G-VAN BODY

- Includes Chevrolet Express and GMC Savana.
- For traditional cutaway van chassis, choose steel or aluminum.
- Available in: RVSL STEEL CSV ALUMINUM

READY VAN SL-STEEL FORD E-SERIES • GM G-VAN



CHOICE OF:

COMPARTMENT SIZES

| V1 | 25" W x 40" H | 15.5" D |
|---------------------------------|---------------|---------|
| V2 25" W x 40" H 15.5" D | | 15.5" D |
| н | 54" W x 18" H | 15.5" D |
| VR | 20" W x 40" H | 15.5" D |

| LENGTH 132 | HEIGHT 57 | WIDTH 85.5 |
|------------------|------------------|-------------------|
| TYP. WFIGHT (SW) | STFFL 2.350 | |


COMPARTMENT SIZES

| V1 | 25" W x 40" H | 15.5"/20" D |
|----|---------------|-------------|
| V2 | 25" W x 40" H | 15.5"/20" D |
| н | 54" W x 18" H | 15.5"/20" D |
| VR | 20" W x 40" H | 15.5"/20" D |

| LENGTH 132 | HEIGHT 75 | WIDTH 95.5 |
|---------------------|--------------------------|-------------------|
| TYP. WEIGHT (SW/DW) | STEEL 2,675/2,875 | |

CLASSIC SERVICE VAN - ALUMINUM

FORD E-SERIES • GM G-VAN



CURBSIDE VIEW

CHOICE OF:

COMPARTMENT SIZES

| V1 | 30" W x 40" H | 15.5" D |
|----|---------------|---------|
| V2 | 26" W x 40" H | 15.5" D |
| н | 52" W x 18" H | 15.5" D |
| VR | 20" W x 40" H | 15.5" D |

| LENGTH 132 | HEIGHT 57 | WIDTH 85.5 |
|------------------|-----------------------|-------------------|
| TYP. WEIGHT (SW) | ALUMINUM 1.278 | |

COMPARTMENT SIZES

| V1 | 30" W x 40" H | 15.5"/20.5" D | |
|----|---------------|---------------|--|
| V2 | 26" W x 40" H | 15.5"/20.5" D | |
| н | 52" W x 18" H | 15.5"/20.5" D | |
| VR | 20" W x 40" H | 15.5"/20.5" D | |

| LENGTH 132 | HEIGHT 75 | WIDTH 95.5 |
|------------|------------------|-------------------|
| | | |

TYP. WEIGHT (SW/DW) ALUMINUM 1,428/1,543




RAM PROMASTER BODY

- For RAM ProMaster cutaway chassis, Reading offers both high- and low-roof aluminum body options.
- SW only.

Available in: CSV ALUMINUM

CLASSIC SERVICE VAN-ALUMINUM

RAM PROMASTER SRW CUTAWAY



CHOICE OF:

COMPARTMENT SIZES

| V1 | 30" W x 40" H | 15.5" D |
|----|---------------|---------|
| V2 | 26" W x 40" H | 15.5" D |
| Н | 52" W x 18" H | 15.5" D |
| VR | 20" W x 40" H | 15.5" D |

| LENGTH 132 | HEIGHT 57 | WIDTH 85.5 |
|------------------|------------------|-------------------|
| TYP. WEIGHT (SW) | ALUMINUM 1,300 | |

COMPARTMENT SIZES

| V1 | 30" W x 40" H | 15.5" D |
|----|---------------|---------|
| V2 | 26" W x 40" H | 15.5" D |
| н | 52" W x 18" H | 15.5" D |
| VR | 20" W x 40" H | 15.5" D |

| LENGTH 132 | HEIGHT 72 | WIDTH 85.5 |
|------------------|-----------------------|-------------------|
| TYP. WEIGHT (SW) | ALUMINUM 1,450 | |






LOW CAB FORWARD BODY

- For Low Cab Forward chassis up to 16,500 lb. GVWR.
- Includes roll-up rear door.
- DW only.
- Available in:

CSV ALUMINUM


CLASSIC SERVICE VAN - ALUMINUM ISUZU NPR • CHEVROLET LCF



COMPARTMENT SIZES

| V1 | 22.5" W x 23.75" H | 15.5" D |
|----|---------------------|---------|
| V2 | 22.5" W x 23.75" H | 15.5" D |
| Н | 50.5" W x 12.75" H | 15.5" D |
| VR | 17.50" W x 40.75" H | 15.5" D |
| LF | 50.5" W x 12.75" H | 15.5" D |

| LENGTH 132 | HEIGHT 72 | WIDTH 85.5 |
|------------------|------------------|-------------------|
| TYP. WEIGHT (DW) | ALUMINUM 1.522 | |



ENCLOSED SERVICE BODIES 15 14 readingtruck.com




BODIES FOR TRUCK CHASSIS

BODIES FOR TRUCK CHASSIS

- Equipped with spacious outside storage compartments with completely enclosed cargo and work area.
- Available in: CLASSIC II STEEL | CLASSIC II ALUMINUM OVER STEEL | CLASSIC II ALL ALUMINUM

98" CLASSIC II PANEL BODY

FOR 56" CA PICKUP CHASSIS



| COMPARTI | MENT SIZES | SW |
|----------|-----------------|-------|
| V1 | 28" W x 40" H | 13" D |
| н | 47" W x 18.5" H | 13" D |
| VR | 23" W x 40" H | 13" D |

OPTIONAL SPACEMASTER ACCESS PACKAGE


SMX[†] 48.5" W x 12" H*

Requires Tapered Profile. Available in most configurations.

| WIDTH | SW 77.5 | DW 91.5 |
|-------|----------------|----------------|
| **** | 31177.3 | 511 5115 |

108" CLASSIC II PANEL BODY

FOR 60" CA CHASSIS CAB



| COMPART | MENT SIZES | sw |
|---------|-----------------|-------|
| V1 | 33" W x 40" H | 13" D |
| Н | 47" W x 18.5" H | 13" D |
| VR | 28" W x 40" H | 13" D |

OPTIONAL SPACEMASTER ACCESS PACKAGE

SMX[†]


48.5" W x 12" H*

Requires Tapered Profile. Available in most configurations.

| WIDTH | SW 77.5 | DW 91.5 |
|-------|----------------|----------------|

132" CLASSIC II PANEL BODY

FOR 84" CA CHASSIS CAB



| COMPARTMENT SIZES | | DW |
|-------------------|-----------------|-------|
| V1 | 36" W x 40" H | 20" D |
| V2 | 21" W x 40" H | 20" D |
| н | 47" W x 18.5" H | 20" D |
| VR | 28" W x 40" H | 20" D |

OPTIONAL SPACEMASTER ACCESS PACKAGE


| SMX [†] | 35" W x 14" H* |
|------------------|----------------|
| | |


Requires Tapered Profile. Available in most configurations.

- * Size may vary by model height.
- † SMX measurement is door size and provides access to continuous shelf inside unit.


TAPERED PROFILE

Weights vary by configuration. Ask for details.





| AVAILABLE IN | | AVAIL | ABLE IN | |
|--------------|----|-------|--------------|----|
| sw | DW | | sw | DW |
| ✓ | _ | 98 | \checkmark | ✓ |
| \checkmark | ✓ | 108 | \checkmark | ✓ |
| _ | _ | 132 | _ | ✓ |



72" HIGH


TPA72 **AVAILABLE IN** 108 132

STRAIGHT PROFILE

108


132

Weights vary by configuration. Ask for details



50" HIGH PBI50


| | AVAILABLE IN | | |
|-----|---------------------|----|--|
| | SW | DW | |
| 98 | √ | _ | |
| 108 | \checkmark | ✓ | |
| 132 | _ | _ | |



60" HIGH PBI60 **AVAILABLE IN**

108

132



| | PB1/2 | | |
|-----|-------------|---|--|
| | AVAILABLE I | | |
| | sw | D | |
| 98 | _ | _ | |
| 108 | _ | ✓ | |

132

readingtruck.com ENCLOSED SERVICE BODIES 17

READING TRUCK WARRANTY

WARRANTIES AS STRONG AS OUR BODIES.

We back our work truck bodies and installations with some of the strongest, longest warranties in the business. Product registration is fast and easy on our website, readingtruck.com.




ALUMINUM ENCLOSED BODIES



INSTALLATION





readingtruck.com ENCLOSED SERVICE BODIES 19



825 E. Wyomissing Blvd. Reading, PA 19611

readingtruck.com

Sold and Serviced Locally by

© 2021 Reading Truck. All rights reserved. Version Number RT21-EB-09

All dimensions subject to plus or minus tolerance of ¼" and all dimensions and specifications are subject to change without notice. Some items displayed in photographs are optional. Aluma-Fill, Aluma-Chock, Dual-Pro, Extend-A-Shelf, Latch-Matic, Marauder, Reading, Redi-Dek, Spacemaker, and Tool-Mates are registered trademarks of The Reading Group, LLC, (DBA Reading Truck) in the United States and some foreign countries. Trademarks of other firms are property of their respective owners.